



NATURA 2000 - STANDARD DATA FORM

For Special Protection Areas (SPA),
Proposed Sites for Community Importance (pSCI),
Sites of Community Importance (SCI) and
for Special Areas of Conservation (SAC)

SITE IT1325624
SITENAME Capo Mele

TABLE OF CONTENTS

- [1. SITE IDENTIFICATION](#)
- [2. SITE LOCATION](#)
- [3. ECOLOGICAL INFORMATION](#)
- [4. SITE DESCRIPTION](#)
- [5. SITE PROTECTION STATUS](#)
- [6. SITE MANAGEMENT](#)
- [7. MAP OF THE SITE](#)

1. SITE IDENTIFICATION

1.1 Type B	1.2 Site code IT1325624	Back to top
----------------------	-----------------------------------	-----------------------------

1.3 Site name

Capo Mele

1.4 First Compilation date 1995-06	1.5 Update date 2019-12
--	-----------------------------------

1.6 Respondent:

Name/Organisation:	Regione Liguria - Dipartimento Ambiente - Servizio Parchi, Aree Protette e Biodiversità
Address:	Via Fieschi, 15 - 16121 Genova
Email:	parchi@regione.liguria.it

1.7 Site indication and designation / classification dates

Date site classified as SPA:	0000-00
National legal reference of SPA designation	No data
Date site proposed as SCI:	1995-06
Date site confirmed as SCI:	No data
Date site designated as SAC:	2017-04
National legal reference of SAC designation:	DM 07/04/2017 - G.U. 98 del 28-4-2017

2. SITE LOCATION

2.1 Site-centre location [decimal degrees]:

[Back to top](#)

Longitude 8.168889 **Latitude** 43.958889

2.2 Area [ha]: 104.0 **2.3 Marine area [%]:** 1.0

2.4 Sitelength [km]:

0.0

2.5 Administrative region code and name

NUTS level 2 code	Region Name
--------------------------	--------------------

2.6 Biogeographical Region(s)

Mediterranean (100.0
%)

3. ECOLOGICAL INFORMATION

[Back to top](#)

3.1 Habitat types present on the site and assessment for them

Annex I Habitat types						Site assessment			
Code	PF	NP	Cover [ha]	Cave [number]	Data quality	A B C D	A B C		
						Representativity	Relative Surface	Conservation	Global
1170			1.04		P	C	C	C	B
1240			1.04		P	B	C	B	B
5320			2.08		P	C	B	B	B
5330			2.08		P	B	C	B	B
6110			1.04		P	C	C	B	B
6210			5.2		P	C	C	C	C
6220			6.24		P	C	C	C	C
8210			2.08		P	B	C	C	B
9540			61.36		P	B	C	C	B

- **PF:** for the habitat types that can have a non-priority as well as a priority form (6210, 7130, 9430) enter "X" in the column PF to indicate the priority form.
- **NP:** in case that a habitat type no longer exists in the site enter: x (optional)
- **Cover:** decimal values can be entered
- **Caves:** for habitat types 8310, 8330 (caves) enter the number of caves if estimated surface is not available.
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation)

3.2 Species referred to in Article 4 of Directive 2009/147/EC and listed in Annex II of Directive 92/43/EEC and site evaluation for them

Species					Population in the site					Site assessment				
G	Code	Scientific Name	S	NP	T	Size		Unit	Cat.	D. qual.	A B C D	A B C		
						Min	Max				Pop.	Con.	Iso.	Glo.
B	A247	Alauda arvensis			c				P	DD	D			
B	A226	Apus apus			c				P	DD	D			
B	A224	Caprimulgus europaeus			r				P	DD	D			
B	A364	Carduelis carduelis			p				P	DD	D			
B	A363	Carduelis chloris			c				P	DD	D			
B	A378	Emberiza cia			c				P	DD	D			
B	A377	Emberiza cirius			c				P	DD	D			
B	A269	Erithacus rubecula			w				P	DD	D			
I	1065	Euphrydas aurinia			p				P	DD	D			
I	6199	Euplagia quadripunctaria			p				C	DD	C	C	C	C
B	A359	Fringilla coelebs			w				P	DD	D			
B	A233	Jynx torquilla			c				P	DD	D			
B	A338	Lanius collurio			r				P	DD	D			
B	A184	Larus argentatus			w				P	DD	D			
B	A281	Monticola solitarius			p				P	DD	D			
B	A328	Parus ater			w				P	DD	D			
B	A329	Parus caeruleus			w				P	DD	D			
B	A330	Parus major			p				P	DD	D			
B	A273	Phoenicurus ochruros			w				P	DD	D			
B	A315	Phylloscopus collybita			w				P	DD	D			
B	A266	Prunella modularis			w				P	DD	D			
B	A318	Regulus ignicapillus			w				P	DD	D			
B	A275	Saxicola rubetra			c				P	DD	D			
B	A276	Saxicola torquata			p				P	DD	D			
B	A361	Serinus serinus			p				P	DD	D			
B	A311	Sylvia atricapilla			p				P	DD	D			
B	A305	Sylvia melanocephala			p				P	DD	D			

B	A302	Sylvia undata			p				P	DD	C	C	C	C
B	A265	Troglodytes troglodytes			p				P	DD	D			
B	A283	Turdus merula			p				P	DD	D			
B	A285	Turdus philomelos			w				P	DD	D			
B	A232	Upupa epops			c				P	DD	D			

- **Group:** A = Amphibians, B = Birds, F = Fish, I = Invertebrates, M = Mammals, P = Plants, R = Reptiles
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Type:** p = permanent, r = reproducing, c = concentration, w = wintering (for plant and non-migratory species use permanent)
- **Unit:** i = individuals, p = pairs or other units according to the Standard list of population units and codes in accordance with Article 12 and 17 reporting (see [reference portal](#))
- **Abundance categories (Cat.):** C = common, R = rare, V = very rare, P = present - to fill if data are deficient (DD) or in addition to population size information
- **Data quality:** G = 'Good' (e.g. based on surveys); M = 'Moderate' (e.g. based on partial data with some extrapolation); P = 'Poor' (e.g. rough estimation); VP = 'Very poor' (use this category only, if not even a rough estimation of the population size can be made, in this case the fields for population size can remain empty, but the field "Abundance categories" has to be filled in)

3.3 Other important species of flora and fauna (optional)

Species			Population in the site					Motivation						
Group	CODE	Scientific Name	S	NP	Size		Unit	Cat.	Species Annex		Other categories			
					Min	Max		C R V P	IV	V	A	B	C	D
P		Ampelodesmos mauritanicus						R						X
P		Anthyllis barba-jovis						V						X
P		Aphyllanthes monspeliensis						R						X
I		Axia margarita						P						X
P		Brassica oleracea ssp. robertiana						R				X		
P		Calicotome spinosa						R				X		
P		Campanula medium						C				X		
I		Cartodere parilis						R						X
P		Centaurea aplolepa						R				X		
P		Coris monspeliensis						R						X
P		Crocus versicolor						V				X		
I		Danacea nigritarsis						R				X		
I		Danacea nigritarsis ingauna						P				X		
I		Danacea sp.						P				X		
I		Entomoculia solarii						V				X		
P		Euphorbia dendroides						R						X
P		Euphorbia spinosa						R				X		
P		Euphorbia spinosa ssp. ligustica						C				X		
I		Glaucopsyche melanops						R						X
P		Globularia alypum						V						X
I		Granaria variabilis						P				X		
I		Heterogynis penella						P						X
I		Hipparchia fidia						R						X
R		Lacerta bilineata						C					X	
I		Leptomastax raymondi						P				X		
I		Limnaeum abeillei (Bedel)						R			X			
B		Lophophanes cristatus						P						X
I	1058	Maculinea arion						R	X					
R		Malpolon monspessulanus						P					X	
I		Melanargia occitanica						C						X
I		Metadromius nanus						R			X			
I		Metopthalmus niveicollis niveicollis						R						X
I		Miarus portae						R						X
P		Ophrys fuciflora						R					X	
I		Otorhynchus civis						R				X		
R	1256	Podarcis muralis						C	X					

I		Roncus binaghii						C				X		
I		Scolitantides orion						P						X
I		Setariola sericea						R						X
I	1053	Zerynthia polyxena						P	X					
I		Zygaena carniolica						C						X
I		Zygaena erythra						C						X
I		Zygaena fausta						C						X
I		Zygaena filipendulae						C						X
I		Zygaena hylaris						C						X
I		Zygaena loti						C						X
I		Zygaena occitanica						C						X
I		Zygaena oxytropis						C						X
I		Zygaena purpuralis						C						X
I		Zygaena sarpedon						R						X
I		Zygaena transalpina						C						X
I		Zygaena viciae						C						X

- **Group:** A = Amphibians, B = Birds, F = Fish, Fu = Fungi, I = Invertebrates, L = Lichens, M = Mammals, P = Plants, R = Reptiles
- **CODE:** for Birds, Annex IV and V species the code as provided in the reference portal should be used in addition to the scientific name
- **S:** in case that the data on species are sensitive and therefore have to be blocked for any public access enter: yes
- **NP:** in case that a species is no longer present in the site enter: x (optional)
- **Unit:** i = individuals, p = pairs or other units according to the standard list of population units and codes in accordance with Article 12 and 17 reporting, (see [reference portal](#))
- **Cat.:** Abundance categories: C = common, R = rare, V = very rare, P = present
- **Motivation categories:** **IV, V:** Annex Species (Habitats Directive), **A:** National Red List data; **B:** Endemics; **C:** International Conventions; **D:** other reasons

4. SITE DESCRIPTION

4.1 General site character

[Back to top](#)

Habitat class	% Cover
N08	8.0
N22	1.0
N23	1.0
N09	30.0
N17	60.0
Total Habitat Cover	100

Other Site Characteristics

Nel sito è presente uno spartiacque centrale, i cui versanti possiedono forme a terrazzo orlate da fasce terrazzate. Da Capo Mele a Fonte del Faro, la costa è sabbiosa. Nell'area affiorano litotipi riconducibili alla zona dei flysch appartenenti all'unità di Moglio- Testico.

4.2 Quality and importance

Il sito consiste in un promontorio calcareo con falesie di interesse paesaggistico-vegetazionale con habitat mediterranei (macchia e cenosi rupestri) in discreto stato di conservazione. Il sito ospita habitats e specie prioritarie (Campanula sabatia Callimorpha quadripunctata), ed endemiti di rilievo. E? da segnalare la presenza di specie che per la loro rarità/interesse biogeografico o perchè indicatrici di qualità ambientale/habitat peculiari, sono state proposte dalla Regione Liguria per l'inserimento nell'allegato II della 92/43 CEE (Limnaeum abeillei; Metadromius nanus). Sono possibili interventi di miglioramento ambientale.

4.3 Threats, pressures and activities with impacts on the site

The most important impacts and activities with high effect on the site

Negative Impacts			
Rank	Threats and pressures [code]	Pollution (optional) [code]	inside/outside [i o b]
M	E01.01		-
M	J03.01		-
M	K03.02		-
M	A04		-
M	I02		-
M	H01.08		-
M	J01.01		-
M	G01.04.01		-
M	E03		-

Positive Impacts			
Rank	Activities, management [code]	Pollution (optional) [code]	inside /outside [i o b]

Rank: H = high, M = medium, L = low

Pollution: N = Nitrogen input, P = Phosphor/Phosphate input, A = Acid input/acidification,

T = toxic inorganic chemicals, O = toxic organic chemicals, X = Mixed pollutions

i = inside, o = outside, b = both

4.4 Ownership (optional)

4.5 Documentation

Insetti:- Balletto E., Toso G.G. - 1975 - Reperti di Ropaloceri nelle Alpi Liguri. Boll. Soc. Ent. Ital., Genova, 107: (9-10): 160-163.- Balletto, E., L. A. Cassulo, G. G. Toso - 1984 - Contributo alla biogeografia degli Zigenidi delle Alpi Liguri (Lepidoptera: Zygaenidae). Lavori Soc. Ital. Biogeogr., 9: 489-565.- Burgeff H. - 1950 - Verbreitungsstudien an der Gattung Zygaena Fab. (Lepidoptera) (Mit besonderer Berücksichtigung des problems der zwischen-und nacheiszeitlichen besiedlung der Alpen). I. Portugaliae Acta Biologica, Lisboa. - Coiffait H. (b) - 1972 - Coléoptères Staphylinidae de la Région paléarctique occidentale. I. Généralités; sous-fam. Xantholininae et Leptotyphlinae. Nouv. Rev. Ent., suppl. 2(2): 1-651.- Ghiliani V. - 1852 - Materiali per servire alla compilazione della fauna entomologica italiana ossia elenco delle specie di Lepidotteri riconosciuti esistenti negli Stati Sardi. Mem. Accad. Sci. Torino, serie II, 14: 131-247.- Liberti G. - 1984 - III contributo alla conoscenza del genere Danacaea. Revisione delle specie italiane del 4° gruppo (Coleoptera Dasytidae). Atti Soc. Ital. Sci. Nat. Mus. Civ. St. nat. Milano, 125(3/4): 159-179.- Poggi R. (b) - 1977- Coleotteri rinvenuti sul versante marino del Capo di Caprazoppa (Liguria occidentale). Ann. Mus. civ. St. nat. G. Doria, Genova, 81: 340-355.- Poggi R. - 1980 - Sulla validità specifica di Metadromius nanus (Fiori) (Coleoptera Carabidae Lebiinae). Annali Mus. Civ. St. Nat. "G. Doria", Genova, 83: 45-56.- Poggi R. - 1983 - Note di caccia IV. Alcuni interessanti rinvenimenti di Coleotteri in Liguria. Ann. Mus Civ. St. Nat. "G. Doria", Genova, 84: 197-210.- Storace L. - 1951 - Su alcune specie italiane di Anthroceria Scop (Lepidoptera Anthroceridae = Zygaenidae). Boll. Soc. Ent. Ital., Genova, 81: (1-2): 10-17.- Verity R. - 1953 - Le farfalle diurne d'Italia, Marzocco, Firenze, 5 voll., 1708 pp.(1940-53).Molluschi:- Boato A., Bodon M. & Giusti F. - 1985 - Molluschi terrestri e d'acqua dolce delle Alpi Liguri. Lav. Soc. It. Biogeogr., N.S., 9: 237-371.Anfibi e Rettili:- Doria G., Salvidio S. - 1994 - Atlante degli Anfibi e Rettili della Liguria. [N. B. I dati, oltre 2500 osservazioni originali, sono consultabili al Museo Civico di Genova]. Cataloghi dei beni naturali n°2. Regione Liguria, NuoveLitoeffe, Castelvetro Piacentino, 151 pp.Flora:- Mariotti M., Barberis G. - 1985 - Note vegetazionali sugli aspetti a Euphorbia dendroides L. e Anthyllis barba-jovis L. in Liguria. Not. Fitosoc. 22: 77-82.- Mariotti M. - 1995 - Osservazioni sulla Flora Ligure. Nota II. Ann. Mus. Civico St. Nat. Genova 40: 619-627. Geologia:- AA.VV. - 1991 - Alpi Liguri. Guide geologiche regionali, 2: 293.- Boni A., Cerro A., Gianotti R., Vanossi M. - 1971 - Note illustrative della carta geologica d'Italia 1:100.000 Foglio 92-93 Albenga-Savona. Servizio Geologico d'Italia.- Di Giulio A. - 1987 - Evoluzione strutturale delle Unit? di Moglio-Testico e di San Remo-Monte Saccarello (Piemontese-ligure delle Alpi marittime): nuovi dati. Atti Tic. Sc. Terra, 31: 54-62.- Galbiati B. - 1984 - L'Unit? di Borghetto d'Arroscia-Alassio. Mem. Soc. Geol. It., 28: 81-210.- Galbiati B. - 1984 - L'Unit? di Borghetto ed i suoi legami con quella di Moglio-Testico (Alpi liguri): conseguenze paleogeografiche. Riv. It. Paleont. e Strat., 90 (2): 205-226. - Galbiati B., Rodi E. - 1989 - Caratteri strutturali dell'Unit? di Moglio-Testico tra Alassio e Laigueglia (Liguria occidentale). Boll. Soc. Geol. It., 108: 491-502.- Marini M. - 1995 - Litologia, stratimetria e sedimentologia della Formazione di Testico (Alpi marittime liguri). Boll. Soc. Geol. It., 114: 497-516.- Rovereto G. - 1939 - Liguria geologica. Mem. Soc. Geol. It., 2: 743.- Vanossi M., Cortesogno L., Galbiati B., Messiga B., Piccardo G., Vannucci R. - 1984 - Geologia delle Alpi liguri: dati, problemi, ipotesi. Mem. Soc. Geol. It., 28: 5-75.

5. SITE PROTECTION STATUS (optional)

5.1 Designation types at national and regional level:

[Back to top](#)

Code	Cover [%]	Code	Cover [%]	Code	Cover [%]
IT11	100.0				

5.2 Relation of the described site with other sites:

5.3 Site designation (optional)

6. SITE MANAGEMENT

6.1 Body(ies) responsible for the site management:

[Back to top](#)

Organisation:	PROVINCIA DI SAVONA - Ufficio Parchi e Aree Protette
Address:	Via Amendola, 10 - 17100 SAVONA
Email:	

6.2 Management Plan(s):

An actual management plan does exist:

<input type="checkbox"/>	Yes
<input type="checkbox"/>	No, but in preparation
<input checked="" type="checkbox"/>	No

6.3 Conservation measures (optional)

7. MAP OF THE SITES

[Back to top](#)

INSPIRE ID:

Map delivered as PDF in electronic format (optional)

Yes No

Reference(s) to the original map used for the digitalisation of the electronic boundaries (optional).

F. 428 / II F. 444 / I 1:25.000 Gauss-Boaga